

## Respiratory system

The organ system that exchanges gases between the air in the lungs and the blood

- In lungs, O<sub>2</sub> enters blood and CO<sub>2</sub> exits blood
- The two major parts are the airway passages and the lungs

Fig 22.2

## Airway passages

The passageways that carry air in and out of the lungs

- The airways also clean and warm the air
- Cells of passageways secrete mucus (to trap contaminant particles in air) and have beating cilia (hairs to propel mucus up away from lungs)

Figs 22.2 and 22.5

Airway organs:

- Nasal cavity = open air chamber behind nose
- Pharynx = The upper throat (behind the nasal and oral cavities)
  - √ Conducts air, food, and water
- Larynx (voice box) = A hollow cartilage structure at the junction of the trachea and the pharynx
  - √ Epiglottis = A cartilage flap that covers the windpipe when we swallow, to divert food and water into the esophagus
  - √ Vocal cords = Vibrating folds in the larynx that make the sounds when we speak
  - √ Thyroid cartilage (Adam's apple) = The largest part of the larynx cartilage
- Trachea (windpipe) = A tube that conducts air from the larynx down into the thorax, towards the lungs
- Primary (left and right) bronchi = tubes formed by branching of trachea
  - √ Each bronchus enters a lung

Figs 22.2, 22.4, 22.6, 22.7, and 22.9

### Lungs

Two spongy elastic organs in the thoracic cavity that draw in air and exchange gases with blood

- Each bronchus branches repeatedly in lungs
- Bronchioles = The smallest branchings of the bronchi
- Alveoli = Round air sacs at the end of bronchioles where  $O_2$  enters blood and  $CO_2$  exits blood

✓ Gases easily diffuse through the walls of the alveoli and the capillaries, which are both simple squamous epithelial tissue

- Air is drawn into lungs (inspiration) when we expanded them using the inspiratory muscles

[Figs 22.2, 22.9, 22.10, 22.11, and 22.22](#)

### Inspiratory muscles

Muscles that expand the lungs to a larger size, which causes inspiration of air into the lungs

- Diaphragm = Dome shaped muscle under the lungs that expands the lungs downward
- External intercostal muscles = Muscles between the ribs that expand the lungs anteriorly and laterally
- (No muscles are needed for expiration: The elastic recoil of the lungs automatically contracts the lungs back to a smaller size, which causes expiration of air out of the lungs).

Figs 11.18, 22.2, 22.14, and 22.17; Table 11.7

### Pleura

A fluid-filled double membrane (a serosa) between the lungs and the thoracic cavity wall

- Inner membrane attaches firmly to lungs
- Outer membrane attaches firmly to thoracic cavity wall
- Pleural fluid = fluid between inner and outer membrane of pleura

✓ Creates a vacuum that holds lungs to thoracic cavity wall

✓ Lubricates sliding of lungs along wall when breathing

Figs 22.14 and 22.16

Spirometry

Measurement of the volumes of air breathed in and out

- Spirometer = The device that measures the breathed air volumes

[Fig 22.18 and 22.19](#)

Gases always move in and out of blood by simple diffusion (molecules moving spontaneously from high to low concentration areas directly through cell membranes)

- In systemic loop capillaries...
  - ✓  $O_2$  exits blood because cells in surrounding tissues have used up  $O_2$  (tissues have lower  $[O_2]$  than blood)
  - ✓  $CO_2$  enters blood because cells in tissues have produced  $CO_2$  (tissues have higher  $[CO_2]$  than blood)
- In pulmonary loop capillaries...
  - ✓  $CO_2$  exits blood because blood gained  $CO_2$  from tissues (blood has higher  $[CO_2]$  than air in lungs)
  - ✓  $O_2$  enters blood because blood lost  $O_2$  in tissues (blood has lower  $[O_2]$  than air in lungs)

How oxygen is carried in the blood:

- $O_2$  enters the blood in the pulmonary loop and exits the blood in the systemic loop
- $O_2$  is carried on Fe (iron) atoms
- The iron atoms are part of hemoglobin protein
- The hemoglobin proteins are inside red blood cells

Figs 22.22, 22.23, and 22.25

How carbon dioxide is carried in the blood:

- CO<sub>2</sub> enters the blood from cells in the systemic loop. When CO<sub>2</sub> enters the blood, most of it becomes HCO<sub>3</sub><sup>-</sup> (bicarbonate ion)



√ For each CO<sub>2</sub> that becomes HCO<sub>3</sub><sup>-</sup>, a hydrogen ion is created in the blood

√ The more CO<sub>2</sub> that enters the blood = The more H<sup>+</sup> in the blood

- In the pulmonary loop, HCO<sub>3</sub><sup>-</sup> becomes CO<sub>2</sub> again. The CO<sub>2</sub> exits the blood into the lungs




√ For each HCO<sub>3</sub><sup>-</sup> that becomes CO<sub>2</sub>, a hydrogen ion is removed from the blood

√ The breathing rate controls how fast HCO<sub>3</sub><sup>-</sup> becomes CO<sub>2</sub>, and therefore controls the blood's H<sup>+</sup> concentration

√ Normally, our breathing rate is set so that the amount of H<sup>+</sup> removed from the blood by breathing exactly balances the amount of H<sup>+</sup> that created in the blood by CO<sub>2</sub>

- Hypoventilation (less than normal breathing) increases the blood's H<sup>+</sup> concentration. Hyperventilation (greater than normal breathing) decreases the blood's H<sup>+</sup> concentration.

[Figs 22.22, 22.23, 22.28, and 26.16](#)



### Breathing control center of brain

The pons and the medulla (in the brain stem) control respiration rate (breaths per minute)

- Normal respiration rate = 12 -18 breaths per minute
  - √ The breathing control center sends nerve signals to contract the diaphragm and external intercostal muscles at the breathing rate
- Breathing rate changed when blood's  $\text{CO}_2$  and  $\text{O}_2$  levels change
  - √  $\text{CO}_2$  high *or*  $\text{O}_2$  low = breathing rate increases
  - √  $\text{CO}_2$  low *or*  $\text{O}_2$  high = breathing rate decreases
- Oxygen level measured by  $\text{O}_2$  sensors in aorta and carotid artery
  - √ The  $\text{O}_2$  information is sent to the breathing control center
- $\text{CO}_2$  (not  $\text{O}_2$ ) is the major determinant of breathing rate
- $\text{CO}_2$  level not directly measured by breathing control center; Brain uses  $\text{H}^+$  level (blood pH) to estimate  $\text{CO}_2$  level
  - √ Because one  $\text{H}^+$  is made for each  $\text{CO}_2$  that enters blood
  - √ High  $\text{CO}_2$  = High  $\text{H}^+$  = low blood pH = acidosis (acidic blood)
  - √ Low  $\text{CO}_2$  = Low  $\text{H}^+$  = high blood pH = alkalosis (basic blood)

Figs 22.20, 26.16, and 26.18



Respiratory system disorders:

- Emphysema\* = walls of alveoli break down
  - √ Passages collapse during expiration
  - √ Victims have difficulty expiring
  
- Chronic bronchitis\* = lower respiratory passages inflamed; produce excess mucus
  - √ Coughing, increased lung infections, gas exchange reduced
  - √ Victims tend to display cyanosis (blue color due to hypoxia (insufficient O<sub>2</sub>))
  
- Lung cancer\* = uncontrolled cell growth in bronchi or lungs
  - √ Cancer metastasizes (invades other tissues) rapidly
  - √ 90% of victims smoked
  - √ Only 7% of victims survive
  
- Asthma = easily inflamed bronchi
  - √ Inflammation often triggered by specific irritant (allergies)
  - √ Causes coughing and shortness of breath

(\* respiratory disease associated with smoking)